

SUPREME

FREESTANDING GAS FIREPLACE

Bring the warmth and wellbeing of fire to most any room without the need for a hearth or mantel. Get a Supreme freestanding fireplace installed in less than a day, then enjoy the extra warmth and a large, clear view of the fire that evening.

Fit your style with Oak or Natural Birch logs, accent lighting, and a space within the pedestal base to keep your favorite throw or decorative item. Run your fireplace with a remote control, wall switch or the sound of your voice using our app.



INTERIORS



BLACK METAL (Standard)



STRATFORD TEXTURED BRICK (Optional upgrade)



TRANQUIL GREIGE HERRINGBONE BRICK (Optional upgrade)



REFLECTIVE BLACK GLASS (Optional upgrade)

LOGS



NATURAL OAK LOGS



NATURAL BIRCH LOGS



ACCENT LIGHTS

CONTROLS



INTELLIFIRE APP

All the features of a remote control with an app installed on your smart device. Monitor your fire from anywhere or even control it with the sound of your voice. IntelliFire is compatible with voice assistants Amazon Alexa and Google Assistant.



TOUCHSCREEN REMOTE (STANDARD)

Features: on/off, flame height adjustment, fan speed, lights adjustment, thermostat mode, room temperature readout, child lock, timer mode, battery backup, cold climate mode, power vent, wall docking station (fan, lights and power vent are dependent on your fireplace).



WIRELESS WALL SWITCH

Features: on/off, battery strength indicator, cold climate mode

SPECIFICATIONS

| FRONT WIDTH (A) | HEIGHT (B) | DEPTH (C) | GLASS SIZE (D X E) | BTU/HOUR INPUT (NG) | CONVECTION BLOWER | VENTING |
|------------------------------|-----------------------------------|---------------------------------|--|--------------------------------|----------------------|------------------------------|
| 33" [838] | 35-5/8" [905] | 19-3/8" [492] | 27-1/2" X 15-15/16" [699mm X 405mm] | 32,700 | 160 CFM | VERTICAL TERMINATION ONLY |
| FRONT VIEW | SIDE VIEW | TOP VIEW | CLEARANCE | ES ALCOV | E INSTALLATION C | CORNER INSTALLATION |
| Dimensions above are in inch | es. Reference dimensions only. We | recommend, measuring individual | 44" [1118] — 5" [127] 5" [127] wnits at installation. NOTE: Combuthis product. Heat & Glo reserves the stress of the stress o | 36" [914] [10" max. 75" [1905] | | 3" [76] |

EFFICIENCIES

EnerGuide (CSA P.4.1-15) Used in Canada and some US states to measure annual fireplace efficiency.

SUPREME-I30 70.91% (NG), 71,00% (LP)



LEARN MORE & SEE IT BURN

TECHNOLOGIES



units periodically.

INTELLIFIRE TOUCH IGNITION SYSTEM

IntelliFire Touch is our most advanced intermittent-pilot ignition (IPI) system, making operating your appliance simple, smart and safe. Select the IntelliFire app, touch-screen remote control or wireless wall switch for the solution that fits your lifestyle.



DIRECT VENT TECHNOLOGY

Direct Vent gas inserts remove 100% of combustion exhaust and fumes to the outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.

For complete information on this model, please contact us at:



No one builds a better fire

Web: heatnglo.com Phone: (888) 427-3973 E-mail: info@heatnglo.com



twitter.com/HeatandGlo

➤ youtube.com/HeatandGlo

HNG-1176U-0922

LIMITED LIFETIME WARRANTY²

The strongest in the industry, Heat & Glo® provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

²For full warranty details, go to www.heatnglo.com.

Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.heatnglo.com/fireplacesafety

Google, YouTube and Google Home are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



